

Об'єкт ESSUser

Опис параметрів об'єкта

Поле	Формат	Опис
<code>id</code>	number	Внутрішній ідентифікатор користувача.
<code>login</code>	string	Логін/телефон користувача.
<code>email</code>	string/ null	Email користувача.
<code>fullName</code>	string/ null	ПІБ українською з ідентифікації.
<code>fullNameEN</code>	string/ null	ПІБ англійською, якщо є.
<code>ipn</code>	string/ null	РНОКПП/ІПН користувача.
<code>unzr</code>	string/ null	УНЗР.
<code>registered</code> або <code>isRegistered</code>	boolean	Ознака, чи зареєстрований користувач.
<code>type</code>	enum	Тип ідентифікації: <code>SIGN</code> , <code>DIIA_INTERNAL_PASSPORT</code> , <code>DIIA_FOREIGN_PASSPORT</code> , <code>OFFLINE</code> , <code>UNKNOWN</code> .
<code>identified</code>	enum	<code>YES</code> або <code>NO</code> .
<code>mobile</code> або <code>isMobile</code>	boolean	Ознака mobile user.
<code>role</code>	enum/ null	Роль у компанії: <code>USER</code> , <code>ADMIN</code> , <code>SUPER_ADMIN</code> , <code>DRAFT_ADMIN</code> .
<code>employeeStatus</code>	enum/ null	Статус співробітника у компанії.
<code>employeeEmail</code>	string/ null	Email співробітника у компанії.

JSON приклад:

```
{
  "id": 456,
  "login": "380501112233",
  "email": "employee@example.com",
  "fullName": "Іваненко Іван Іванович",
  "fullNameEN": "IVANENKO IVAN",
  "ipn": "3148615913",
  "unzr": "19900101-12345",
  "registered": false,
  "type": "SIGN",
```

```
"identified": "YES",  
"mobile": false,  
"role": "USER",  
"employeeStatus": "ACTIVE",  
"employeeEmail": "employee@example.com"  
}
```

🕒 Revision #2

★ Created 2026-06-19 09:12:37 UTC by Наталя Сідненко

✎ Updated 2026-06-19 13:25:16 UTC by Наталя Сідненко